

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Youzhong Liu et al.

Application No.: 10/693,706

Confirmation No.: 2276

Filed: October 24, 2003

Art Unit: 2157

For: SCREEN SCRAPING INTERFACE

Examiner: E. H. M. Sall

RESPONSE TO NOTICE OF NON-COMPLIANT APPEAL BRIEF

MS Appeal Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:


In response to the Notice of Noncompliant Appeal Brief dated October 30, 2008, please consider Appendix 1. Appendix 1 lists all claims involved in this appeal, as required by 37 C.F.R. 41.37 (c)(1)(viii). As instructed by the Patent Appeal Center Specialist, withdrawn claims 15-17 of the Appendix have been removed. Also, as instructed by the Patent Appeal Center Specialist, only the defective section, and not the entire appeal brief, has been included in this response. In view of the above, applicant believes the pending application is in condition for allowance.

Applicant believes no fee is due with this response. However, if a fee is due, please charge any additional fees required or credit any overpayment during the pendency of this Application pursuant to 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of

the Code of Federal Regulations that may regulate fees to Deposit Account No. 06-2380, under Order No. 03-1003 which the undersigned is authorized to draw.

Dated: November 21, 2008

Respectfully submitted,

By 
Michael A. Papalas
Registration No.: 40,381
FULBRIGHT & JAWORSKI L.L.P.
2200 Ross Avenue, Suite 2800
Dallas, Texas 75201-2784
(214) 855-8186
(214) 855-8200 (Fax)
Attorney for Applicant

**Amendment After Final Action Under 37 C.F.R.
1.116**

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4).

Dated: November 21, 2008

Signature: 

(Carol Martin)

APPENDIX 1

1. A method of interfacing between a client and a mainframe system, comprising:
receiving requests for services from said client;
parsing said requests to obtain parsed requests;
obtaining service definitions based on said parsed requests;
executing commands based on said service definitions, said commands corresponding
with applications recognized by said mainframe system for providing results to said requests for
services; and
providing said results to said client.
2. A method according to claim 1, wherein receiving said requests for services
comprises:
receiving a connection request from said client; and
instantiating a session manager to receive said requests for services.
3. A method according to claim 2, comprising pre-establishing a plurality of session
managers, wherein instantiating comprises instantiating one of said plurality of session
managers.
4. A method according to claim 1, comprising:
retrieving entitlement information related to said client; and
obtaining said service definitions when said entitlement information indicates said parsed
requests can be processed for said client.
5. A method according to claim 4, comprising returning an error message to said
client when said entitlement information indicates said parsed requests cannot be processed for
said client.

6. A method according to claim 1, wherein:
obtaining service definitions comprises determining if said requests for services are requests for single commands; and
executing commands for providing results comprises executing said single commands at an interface interfacing said client with said mainframe system when said requests for services are requests for single commands.

7. A method according to claim 1, comprising:
creating a plurality of connections with said mainframe system to form a connection pool; and
assigning one of said connections from said connection pool for interacting with said mainframe system when a service request is received.

8. A method according to claim 7, comprising returning said one of said connections to said connection pool when said client chooses to end a session with said mainframe system.

9. A method according to claim 7, wherein:
creating said plurality of connections comprises performing commands corresponding to startup sections of said service definitions; and
executing commands comprises performing commands corresponding to execution sections of said service definitions.

10. A method according to claim 9, wherein executing commands comprises performing commands corresponding to a close-up section of one of said service definitions to release said plurality of connections when said requests for services include a logout request.

11. A method according to claim 1, comprising:
specifying identifiers for screens of said mainframe system; and
specifying actions to be taken with respect to said screens to generate said service definitions, said actions including one of receiving said requests for services and providing said results.

12. A method according to claim 1, comprising:
opening a socket connection to an interface to facilitate interfacing with said mainframe system; and
managing said interface over said socket connection.

13. A method according to claim 12, wherein managing comprises at least one of controlling access of said clients to said interface, generating said service definitions, and modifying said service definitions.

14. A method according to claim 12, wherein managing comprises:
logging activities of said interface to obtain logs; and
debugging executing commands based on said logs.

18. An interface for interfacing a client with a mainframe system, comprising:
a session manager receiving requests for services;
a message processor to parse said requests to obtain parsed requests;
a service processor to obtain service definitions based on said parsed requests; and
a host connector interacting with said mainframe system and executing commands based on said service definitions, said commands corresponding with applications recognized by said mainframe system for providing results to said requests for services.

19. An interface according to claim 18, comprising:
a database for storing a plurality of service definitions; and
a storage manager communicating with said service processor and retrieving from said database said service definitions based on said parsed requests.

20. An interface according to claim 18, comprising an interface engine to listen for a connection request and instantiate said session manager to receive said requests for services related to said connection request.

21. An interface according to claim 20, comprising a connection pool of pre-established connections between said host connector and said mainframe system, said interface engine assigning one of said pre-established connections from said connection pool in response to said connection request.

22. An interface according to claim 20, comprising a thread pool of pre-established session managers, said interface engine instantiating said session manager from one of said pre-established session managers from said thread pool.

23. An interface according to claim 20, comprising:
a cache memory; and
a service cache to store, in said cache memory, said service definitions for said requests for services related to said connection.

24. An interface according to claim 18, comprising an administrative tool for facilitating at least one of creating new service definitions and modifying existing service definitions.

25. An interface according to claim 24, wherein said administrative tool comprises a socket connection communicating administrative requests to said interface.

26. An interface according to claim 18, comprising a command processor to execute administrative commands based on said requests for services when said requests for services are requests for a single command.

27. An interface according to claim 18, comprising an authenticator containing access privilege information for said client, said access privilege information for determining if a client inputting said requests for services is authorized to have said service processor obtain said service definitions based on said parsed requests.

28. An interface according to claim 18, comprising a logging service to log activities of said interface.